



## Features



Energy Saving Inverter DC Pump\*

Quiet Operation\*



Splash Proof Casing



ELCB Test Button



Easy Clean Durable Nozzles



Flow Rate : Up to 400%\*



Thermal Safety Cut-Off



Easy to Install



Double Relay ELCB

*\*For S8R ESP only*

## Specifications

<b>Innovative Features</b>	<b>S8R</b>	<b>ESP</b>
Double relay ELCB	☑	
Silent booster pump	☑	
AC booster pump	-	
<b>Standard Features</b>		
Auto flow sensor switch	☑	
Safety anti-scalding device	☑	
Stop valve	☑	
Rain shower	☑	
5-way massage spray hand shower	☑	
Stepless electronic power control	☑	
Sleek and slim design	☑	
Leak proof heater tank	☑	
Splash proof casing IP25	☑	
Built-in ELCB with surge protector	☑	
5 years warranty ( Inverter DC pump )	☑	
400% stronger water flow rate	☑	
60% power saving pump	☑	
<b>Specifications</b>		
Power rating (kW)	4.3	
Voltage (V)	240	
Frequency (Hz)	50	
Minimum water pressure (kgf/cm <sup>2</sup> )		0.14
(psi)	2	
Maximum water pressure(kgf/cm <sup>2</sup> )		3.87
(psi)	55	
Water connection (mm)		15
(inches)	1/2 BSP	
Water temperature control	Variable	
stepless electronic control		
Pump rating	48 (24V d.c.)	
<b>Product Dimensions</b>		
Depth (mm)	95	
Width (mm)	235	
Height	375	
Weight (kg)	3.2	

