



Features



Energy Saving Inverter DC Pump*

Quiet Operation*



Splash Proof Casing 

ELCB Test Button



Easy Clean Durable Nozzles 

Flow Rate : Up to 400%*



Thermal Safety Cut-Off 

Easy to Install



Double Relay ELCB

* For Angel ESP only

Specifications

Innovative Features	Angel	ESP
Double relay ELCB	☑	
Quiet DC booster pump	☑	
AC booster pump	-	
Standard Features		
Auto flow sensor switch	☑	
Thermal safety cut-off	☑	
3 in 1 stop valve	☑	
3-way massage spray hand shower	☑	
Stepless electronic power control	☑	
Sleek and slim design	☑	
Leak proof heater tank	☑	
Splash proof casing IP25	☑	
Up to 400% stronger water flow rate	☑	
60% power saving pump	☑	
Specifications		
Power rating (kW)	4.3	
Voltage (V)	240	
Frequency (Hz)	50	
Minimum water pressure (kgf/cm ²)		0.14
(psi)	2	
Maximum water pressure(kgf/cm ²)		3.87
(psi)	55	
Water connection (mm)		15
(inches)	1/2 BSP	
Water temperature control	Variable	
stepless electronic control		
Pump rating	48W (24V d.c.)	
Product Dimensions		
Depth (mm)	90	
Width (mm)	230	
Height	370	
Weight (kg)	3.3	
Downloads		
Downloads		

{phocadownload view=file|id=6|target=s}

